



Certificate of Analysis
Compliance Test

Client Information:

MAGNETIC Beverage LLC
6536 Highway 3
Benton, Louisiana 71006

Batch # MG8576
Batch Date: 2026-01-22
Extracted From: HEMP

Test Reg State: Louisiana

Production Facility: Open Book Extracts
Production Date: 2026-01-22

Order # MAG260224-010001
Order Date: 2026-02-24
Sample # AAHL707
Net Weight per Serving: 3000 mg

Sampling Date: 2026-02-26
Lab Batch Date: 2026-02-26
Completion Date: 2026-03-06
Serving Number: 1.00000

Initial Gross Weight: 105.500 g

Number of Units: 20
Net Weight per Package: 3000.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Heavy Metals
Passed



Pesticides
Passed



Residual Solvents
Passed



Pathogenic Microbiology
Passed



Microbiology Petrifilm
Passed

Delta 8/Delta 10 Potency 13 - (LCUV)

Specimen Weight: 3397.540 mg

Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	Result (%)	Visual
CBD	5.40E-5	0.0015	1.020	0.102	Blue bar
Delta-9 THC	1.30E-5	0.0015	0.510	0.051	Red bar
CBC	1.80E-5	0.0015	<LOQ	<LOQ	
CBDA	1.00E-5	0.0015	<LOQ	<LOQ	
CBDV	6.50E-5	0.0015	<LOQ	<LOQ	
CBG	2.48E-4	0.0015	<LOQ	<LOQ	
CBGA	8.00E-5	0.0015	<LOQ	<LOQ	
CBN	1.40E-5	0.0015	<LOQ	<LOQ	
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ	
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ	
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ	
THCV	7.00E-6	0.0015	<LOQ	<LOQ	
Total Active THC			0.5100	0.051	Green bar
Total Active CBD			1.020	0.102	Purple bar

Potency Summary

Total Delta 8 per Serving None Detected	Total Delta 10 per Serving None Detected
Delta 9 THC per Serving 0.051% 1.53 mg	Total Active CBD per Serving 0.102% 3.06 mg
Total CBG per Serving None Detected	Total CBN per Serving None Detected
Total Cannabinoids per Serving 0.153% 4.59 mg	Total Active CBD Per Package 0.102% 3.06 mg
Total Active THC per Serving 0.051% 1.53 mg	Total Active THC Per Package 0.051% 1.53 mg
Delta 9 THC per Package 0.051% 1.53 mg	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA * 0.877), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 Client supplied the net weight of ml The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



**Magnetic - Un avored, 2mg THC 4mg
CBD, 3mL, Mini Mag (Edible Liquid)**
Sample Matrix:
CBD/HEMP
Derivative Products
(Ingestion)



Certificate of Analysis
Compliance Test

Client Information:

MAGNETIC Beverage LLC
6536 Highway 3
Benton, Louisiana 71006

Batch # MG8576
Batch Date: 2026-01-22
Extracted From: HEMP

Test Reg State: Louisiana

Production Facility: Open Book Extracts
Production Date: 2026-01-22

Order # MAG260224-010001
Order Date: 2026-02-24
Sample # AAHL707
Net Weight per Serving: 3000 mg

Sampling Date: 2026-02-26
Lab Batch Date: 2026-02-26
Completion Date: 2026-03-06
Serving Number: 1.00000

Initial Gross Weight: 105.500 g

Number of Units: 20
Net Weight per Package: 3000.000 mg
Sampling Method: MSP 7.3.1

Microbiology TYM (Petrifilm/Plating) - LA
Specimen Weight: 997.300 mg

Passed
SOP13.003 (Petrifilm)

Dilution Factor: 8.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Yeast/Mold	10000	10000	<10000

Pathogenic Microbiology - SE (MicroArray)
Specimen Weight: 1012.000 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Salmonella	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

MAGNETIC Beverage LLC
6536 Highway 3
Benton, Louisiana 71006

Batch # MG8576
Batch Date: 2026-01-22
Extracted From: HEMP

Test Reg State: Louisiana

Production Facility: Open Book Extracts
Production Date: 2026-01-22

Order # MAG260224-010001
Order Date: 2026-02-24
Sample # AAHL707
Net Weight per Serving: 3000 mg

Sampling Date: 2026-02-26
Lab Batch Date: 2026-02-26
Completion Date: 2026-03-06
Serving Number: 1.00000

Initial Gross Weight: 105.500 g

Number of Units: 20
Net Weight per Package: 3000.000 mg
Sampling Method: MSP 7.3.1



Heavy Metals - LA

Specimen Weight: 248.900 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 200.884

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	.00483	0.1	10	<LOQ	Lead (Pb)	0.0058	0.1	10	<LOQ
Cadmium (Cd)	.00064	0.1	4.1	<LOQ	Mercury (Hg)	.01176	0.1	2	<LOQ



Residual Solvents - LA (CBD)

Specimen Weight: 18.100 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.16	8	<LOQ	Heptane	0.001	1.39	500	<LOQ
1,2-Dichloroethane	0.000	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.005	1.39	500	<LOQ
Acetonitrile	0.060	1.17	410	<LOQ	Methanol	0.001	0.69	3000	<LOQ
Benzene	0.000	0.02	1	<LOQ	Methylene chloride	0.003	2.43	600	<LOQ
Butanes	0.417	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.000	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.002	2.78	NA	<LOQ	Toluene	0.001	2.92	1	<LOQ
Ethyl Acetate	0.001	1.11	5000	<LOQ	Total Xylenes	0.000	2.92	1	<LOQ
Ethyl Ether	0.005	1.39	5000	<LOQ	Trichloroethylene	0.001	0.49	80	<LOQ
Ethylene Oxide	0.004	0.1	5	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

MAGNETIC Beverage LLC
6536 Highway 3
Benton, Louisiana 71006

Batch # MG8576
Batch Date: 2026-01-22
Extracted From: HEMP

Test Reg State: Louisiana

Production Facility: Open Book Extracts
Production Date: 2026-01-22

Order # MAG260224-010001
Order Date: 2026-02-24
Sample # AAHL707
Net Weight per Serving: 3000 mg

Sampling Date: 2026-02-26
Lab Batch Date: 2026-02-26
Completion Date: 2026-03-06
Serving Number: 1.00000

Initial Gross Weight: 105.500 g

Number of Units: 20
Net Weight per Package: 3000.000 mg
Sampling Method: MSP 7.3.1

Pesticides - LA
Specimen Weight: 583.200 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.570

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	4.3500E-4	0.009	0.3	<LOQ	Hexythiazox	4.5000E-5	0.0096	2	<LOQ
Acephate	4.6700E-4	0.0096	5	<LOQ	Imazail	6.3900E-4	0.0096	0	<LOQ
Acequinocyl	8.0100E-4	0.0096	4	<LOQ	Imidacloprid	1.5900E-4	0.0096	3	<LOQ
Acetamiprid	8.0000E-5	0.0096	5	<LOQ	Kresoxim Methyl	2.6800E-4	0.0096	1	<LOQ
Aldicarb	1.2400E-4	0.0096	0	<LOQ	Malathion	4.1000E-4	0.0096	5	<LOQ
Azoxystrobin	6.8300E-4	0.0096	40	<LOQ	Metalaxyl	7.4900E-4	0.0096	15	<LOQ
Bifenazate	8.2000E-5	0.0096	5	<LOQ	Methiocarb	9.9000E-5	0.0096	0	<LOQ
Bifenthrin	1.2100E-4	0.0096	0.5	<LOQ	Methomyl	1.2100E-4	0.0096	0.1	<LOQ
Boscalid	1.5300E-4	0.0096	10	<LOQ	methyl-Parathion	3.0650E-3	0.0096	0	<LOQ
Captan	8.9660E-3	0.048	5	<LOQ	Mevinphos	1.3700E-3	0.0096	0	<LOQ
Carbaryl	1.1800E-4	0.0096	0.5	<LOQ	Myclobutanil	5.7100E-4	0.0096	9	<LOQ
Carbofuran	1.7800E-4	0.0096	0	<LOQ	Naled	8.3000E-5	0.0096	0.5	<LOQ
Chlorantraniliprole	5.2000E-5	0.0096	40	<LOQ	Oxamyl	1.2300E-4	0.0096	0.2	<LOQ
Chlorfenapyr	3.1210E-3	0.0096	0.1	<LOQ	Pacllobutrazol	1.2300E-4	0.0096	0	<LOQ
Chlorpyrifos	2.7100E-4	0.0096	0	<LOQ	Pentachloronitrobenzen (Quintozene)	5.1400E-3	0.0096	0.2	<LOQ
Clofentezine	1.1900E-4	0.0096	0.5	<LOQ	Permethrin	7.1800E-4	0.0096	20	<LOQ
Coumaphos	1.2900E-4	0.0096	0	<LOQ	Phosmet	3.0100E-4	0.0096	0.2	<LOQ
Cyfluthrin	7.7300E-3	0.048	1	<LOQ	Piperonylbutoxide	2.1700E-4	0.0096	8	<LOQ
Cypermethrin	8.8700E-4	0.0096	1	<LOQ	Prallethrin	1.3650E-3	0.0096	0.4	<LOQ
Daminozide	1.7970E-3	0.0096	0	<LOQ	Propiconazole	2.5900E-4	0.0096	20	<LOQ
Diazinon	1.3280E-3	0.0096	0.2	<LOQ	Propoxur	1.4700E-4	0.0096	0	<LOQ
Dichlorvos	4.6500E-4	0.0096	0	<LOQ	Pyrethrins	2.5600E-4	0.0014	1	<LOQ
Dimethoate	3.6600E-4	0.0096	0	<LOQ	Pyridaben	5.9000E-5	0.0096	3	<LOQ
Dimethomorph	2.7200E-4	0.0096	20	<LOQ	Spinetoram	3.4600E-4	0.0096	3	<LOQ
Ethoprophos	1.9200E-4	0.0096	0	<LOQ	Spinosad	2.8000E-5	0.00239	3	<LOQ
Etofenprox	1.1600E-4	0.0096	0	<LOQ	Spiromesifen	2.9100E-4	0.0096	12	<LOQ
Etoxazole	5.7000E-4	0.0096	1.5	<LOQ	Spirotetramat	1.4100E-4	0.0096	13	<LOQ
Fenhexamid	1.0110E-3	0.0096	10	<LOQ	Spiroxamine	1.1900E-4	0.0096	0	<LOQ
Fenoxycarb	1.6900E-4	0.0096	0	<LOQ	Tebuconazole	1.3400E-4	0.0096	2	<LOQ
Fenpyroximate	1.3900E-4	0.0096	2	<LOQ	Thiacloprid	3.9700E-4	0.0096	0	<LOQ
Fipronil	6.0500E-4	0.0096	0.1	<LOQ	Thiamethoxam	1.0400E-4	0.0096	4.5	<LOQ
Fonicamid	1.2800E-4	0.0096	2	<LOQ	Trifloxystrobin	8.8000E-5	0.0096	30	<LOQ
Fludioxonil	5.2100E-4	0.0096	30	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

